Notice of Allowability	Application No.	Applicant(s)	
	09/910,655	LIEBENDORFER,	JOHN F
	Examiner	Art Unit	
	Anita M. King	3632	
The MAILING DATE of this communication appeal All claims being allowable. PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT REOF THE OF THE OFFICE OF ALLOWABILITY IS NOT A GRANT OF PATENT REOF THE OFFICE OF THE OFFICE OF THE OFFICE OF THE OFFICE OF THE OFFICE OFF	(OR REMAINS) CLOSED in or other appropriate communication is sufficient to the communication of the communication of the communication is sufficient to the communication of the	this application. If not inclu nication will be mailed in du	ided ie course. THIS
1. This communication is responsive to <u>amendment filed on f</u>	<u> Vovember 1, 2007</u> .		
2. X The allowed claim(s) is/are 8,10,13-23,36,38 and 42-49.			
3. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have international Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submined in ABANDONM THIS THREE-MONTH PERIOD (PTO-152) which give 5. CORRECTED DRAWINGS (as "replacement sheets") must be considered by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date Paper No./Mail Date	e been received. e been received in Application cuments have been received of this communication to file a BENT of this application. itted. Note the attached EXAMES reason(s) why the oath or control of the submitted. on's Patent Drawing Review (control of the submitted).	Noin this national stage application this national stage application is deficient.	equirements
Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.	84(c)) should be written on the	drawings in the front (not the	ne back) of
each sheet. Replacement sheet(s) should be labeled as such in the first of the deposit of and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT F	ne header according to 37 CFR sit of BIOLOGICAL MATEF	1.121(d). RIAL must be submitted.	·
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Sun Paper No./M 7. ⊠ Examiner's Al	rmal Patent Application nmary (PTO-413), ail Date mendment/Comment ratement of Reasons for All	lowance
<u>.</u>			

This is a non-final office action for application number 09/910,655, System for Removably and Adjustably Mounting a Device on a Surface, filed on July 20, 2001.

Examiner's Amendment

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Claims 24-30 have been canceled.

Reasons for Allowance

The following is an examiner's statement of reasons for allowance: the primary reasons for the allowance of the claims in this application are the limitations of one or more clamps being formed with a leg having a base, a descending member monolithically extending from the base, and an ascending member monolithically extending from the base in a direction substantially opposite the direction of the descending member, now included in independent claims 8 and 36 and in combination with the other elements cited in the claims respectively, which is not found in the prior art of record; and a footing grid comprising a means for variably positioning an at least one dual track rail on an at least one keeper and one or more clamps variably positionable on the dual track and the footing grid for demountably securing a module to

Application/Control Number:

09/910,655

Art Unit: 3632

the footing grid, essentially included in independent claims 10 and 38 and in combination with the other elements recited in the clams respectively, which is not found in the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Claims 24-30 have been canceled as being drawn to a non-allowable invention which was withdrawn from consideration without traverse.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anita M. King whose telephone number is (571) 272-6817. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Glessner can be reached on (571) 272-6843. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Anita M. King

Primary Examiner

Art Unit 3632

November 14, 2007